

CLINICAL LABORATORY PERMIT



pennsylvania
DEPARTMENT OF HEALTH

Pursuant to the act of September 26, 1951, P.L. 1539 as amended, a Permit to operate a Clinical Laboratory is hereby granted to:

Laboratory Identification Number: 37727

AUTHORIZED CATEGORIES/TESTS:

Name and Director of Laboratory:

CLINICAL CHEMISTRY
NON-SYPHILIS SEROLOGY

MOLECULAR VISION LABORATORY
JOHN PEI-WEN CHIANG, PH.D.
1920 NE STUCKI AVE, SUITE 150
HILLSBORO, OR 97006

Owner:

CENTRILLION TECHNOLOGIES INC (MAJORITY); JOHN
CHIANG

ISSUE DATE: August 15, 2026

DATE EXPIRES: August 15, 2027



Debra L. Bogen, MD, FAAP
Secretary of Health

DISPLAY THIS CERTIFICATE PROMINENTLY

This permit is subject to revocation, suspension, or limitation for violation of the Act or the Regulations promulgated thereunder.

**MOLECULAR VISION LABORATORY
JOHN PEI-WEN CHIANG, PH.D.
1920 NE STUCKI AVE, SUITE 150
HILLSBORO, OR 97006**