

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF COMPLIANCE

LABORATORY NAME AND ADDRESS
MOLECULAR VISION LABORATORY
3375 SW TERWILLIGER BLVD RM 3110 BRB FL2
PORTLAND, OR 97221

CLIA ID NUMBER
38D2059762

EFFECTIVE DATE
10/19/2015

LABORATORY DIRECTOR
JOHN PEI-WEN CHIANG PHD FAC

EXPIRATION DATE
10/18/2017

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.
This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Karen W. Dyer

Karen W. Dyer, Acting Director
Division of Laboratory Services
Survey and Certification Group
Center for Clinical Standards and Quality

309 Certs2_062816

If you currently hold a Certificate of Compliance or Certificate of Accreditation, below is a list of the laboratory specialties/subspecialties you are certified to perform and their effective date:

<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>	<u>LAB CERTIFICATION (CODE)</u>	<u>EFFECTIVE DATE</u>
ROUTINE CHEMISTRY (310)	10/19/2013		

FOR MORE INFORMATION ABOUT CLIA, VISIT OUR WEBSITE AT WWW.CMS.GOV/CLIA
OR CONTACT YOUR LOCAL STATE AGENCY. PLEASE SEE THE REVERSE FOR
YOUR STATE AGENCY'S ADDRESS AND PHONE NUMBER.
PLEASE CONTACT YOUR STATE AGENCY FOR ANY CHANGES TO YOUR CURRENT CERTIFICATE.

CLIA ID Number: 38D2059762
MOLECULAR VISION LABORATORY
2500 FABER PLACE
PALO ALTO, CA 94303

STATE AGENCY ADDRESS AND PHONE NUMBER:

OREGON HEALTH AUTHORITY/STATE PUBLIC HEALTH D
LABORATORY COMPLIANCE SECTION
3150 NW 229TH AVENUE SUITE 100
HILLSBORO, OR 97124-6536
(503)693-4125

LABORATORY MAILING ADDRESS: